


TABLES & DESKS - POST LEG

Organic- and unique-shaped work surfaces and larger tops call for agile leg placement to create strength, stability and comfort. Our fully welded post legs meet your standard and custom needs. Call us if you want a uniquely shaped top.

FIXED HEIGHT

14"
29"



ADJUSTABLE HEIGHT

20-28"
24-32"



SHIPPING

- Work surfaces ship stacked, separate from legs
- Legs are bulk packed
- Levelers or casters installed
- Product weights shown exclude packaging materials

PRODUCT DETAILS




75mm casters



Levelers



Leg adjustment



Leg attachment


TABLES & DESKS - POST LEG

WORK SURFACE SHAPE INNER AND OUTER DIMENSIONS




Round

W	D	A	B
48"	48"	48"	48"
60"	60"	60"	60"




Half Round

W	D	A	B
60"	30"	59.838"	30"




Kidney

W	D	A	B
72"	36"	71.875"	36"
60"	36"	60"	36"




Horseshoe

W	D	A	B
60"	66"	60"	66"




Arc - 60°

W	D	A	B
62.5"	28.5"	62.5"	28.7"




Chevron

W	D	A	B
60"	29"	59.965"	28.885"



Wedge

W	D	A	B
60"	30"	60"	30"




Diamond

W	D	A	B
46"	36"	45.485"	35.665"



Teardrop

W	D	A	B
63"	40"	63.25"	39.1"



Pillow

W	D	A	B
36"	36"	36"	36"
42"	42"	42"	42"
48"	48"	48.1"	48.1"



Blend

W	D	A	B
60"	48"	60.25	47.576"

SPACE BETWEEN LEGS



48" ROUND TABLE

Work Surface	Distance Between legs	
Diameter	(A)	(B)
48"	27.5"	27.5"



60" ROUND TABLE


Work Surface	Distance Between legs		
Diameter	(A)	(B)	(C)
60"	36"	36"	25"



HALF ROUND TABLE


Work Surface	Distance Between legs			
Width	Depth	(A)	(B)	(C)
60"	30"	51.5"	20.352"	28.5"

TABLES & DESKS - POST LEG




HORSESHOE TABLE

Work Surface		Distance Between legs		
Width	Depth	(A)	(B)	(C)
60"	66"	24.67"	28.5"	25.5"




KIDNEY TABLE

Work Surface		Distance Between legs		
Width	Depth	(A)	(B)	(C)
72"	48"	48.59"	32.44"	41"




KIDNEY TABLE

Work Surface		Distance Between legs		
Width	Depth	(A)	(B)	(C)
72"	36"	63.875"	30.542"	27.25"




ARC TABLE

Work Surface		Distance Between legs		
Width	Depth	(A)	(B)	(C)
62-1/2"	28-1/2"	36.1"	16.375"	26.981"




CHEVRON TABLE

Work Surface		Distance Between legs		
Width	Depth	(A)	(B)	(C)
60"	29"	45.3"	16.835"	25.572"



WEDGE TABLE

Work Surface		Distance Between legs		
Width	Depth	(A)	(B)	(C)
60"	30"	50.25"	23.45"	25.548"



DIAMOND TABLE

Work Surface		Distance Between legs		
Width	Depth	(A)	(B)	(C)
46"	36"	24.768"	20.613"	24.768"



TEARDROP TABLE

Work Surface		Distance Between legs		
Width	Depth	(A)	(B)	(C)
63"	40"	40.271"	22.5"	22.5"



PILLOW TABLE

Work Surface		Distance Between legs	
Width	Depth	(A)	(B)
36"	36"	23.791"	23.791"
42"	42"	28.9"	28.9"
48"	48"	33.88"	33.88"



BLEND TABLE

Work Surface		Distance Between legs		
Width	Depth	(A)	(B)	(C)
60"	48"	42.5"	22.1"	36.2"

TABLE CONFIGURATION IDEAS

ARC



CHEVRON




WEDGE



DIAMOND



TEARDROP



BLEND

