

# Base Shelf

## Illusions 2.0



### DIMENSIONS

|                                  | BASE CASE<br>(WITHOUT WORKSURFACE<br>ON 29"H AND 37"H) | BASE CASE<br>(WITH WORKSURFACE) |
|----------------------------------|--|---------------------------------|
| <b>Outer width</b>               | Nominal*   | Nominal*                        |
| <b>Outer depth</b>               | Nominal  | Nominal                         |
| <b>Outer height</b>              | Nominal less 1"  | Nominal                         |
| <b>Inner width</b>               | Nominal less 1.58"                                     |                                 |
| <b>Inner depth without doors</b> | Nominal less .95"                                      |                                 |
| <b>Inner depth with doors</b>    | Nominal less 1.82"                                     |                                 |
| <b>Inner height</b>              | Nominal less 6.53"                                     |                                 |

NOTE:  
Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

\* Nominal: matches dimensions shown on pricing chart

### WORKSURFACE

- No worksurface (default)
- Matching width worksurface with or without backsplash
  - HPL (worksurface and backsplash default)
- TFL (backsplash default)
- Spanning width worksurface, spanning width backsplash (order both separately)
  - HPL (worksurface and backsplash default)
  - Chem resistant HPL
  - Phenolic resin
- 1" thick worksurface and backsplash
- 3mm edgeband

### SHELF

- Fixed and adjustable
- 35 lb. to 100 lb. capacity depending on width
- TFL (default)
- Painted metal

### DOOR

- Soft close 120° European hinge
- Keyed alike cylinder lock
- Lock plate on double door unit

### PULL

- Arch pull - 128mm (default)
- Metro pull - 128mm
- Urban pull - 128mm

### MOBILITY

- 4" leveler (default)
- Leveler/caster assembly
- Height adjustment features concealed

### CASE

- Camlock design
- .75" thick laminate panels except for 1" thick bottom
- All visible panels finished
- 1mm edgeband
- Metal stretcher in top back
- Metal reveal in top front
- Through bolt connector to join adjacent cases (default)
- Quick connect assembly

### SHIPPING

- Ships assembled
- Matching width worksurface, pull, shelf, leveler, and caster attached (as applicable)

# Base Shelf Drawer

## Illusions 2.0



### DIMENSIONS

|                                  | BASE CASE<br>(WITHOUT WORKSURFACE<br>ON 29"H AND 37"H) | BASE CASE<br>(WITH WORKSURFACE) |
|----------------------------------|--|---------------------------------|
| <b>Outer width</b>               | Nominal*   | Nominal*                        |
| <b>Outer depth</b>               | Nominal  | Nominal                         |
| <b>Outer height</b>              | Nominal less 1"  | Nominal                         |
| <b>Inner width</b>               | Nominal less 1.58"                                     |                                 |
| <b>Inner depth without doors</b> | Nominal less .95"                                      |                                 |
| <b>Inner depth with doors</b>    | Nominal less 1.82"                                     |                                 |
| <b>Inner height</b>              | Nominal less 6.53"                                     |                                 |

#### NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

\* Nominal: matches dimensions shown on pricing chart

### WORKSURFACE

- No worksurface (default)
- Matching width worksurface with or without backsplash
  - HPL (worksurface and backsplash default)
- Spanning width worksurface, spanning width backsplash (order both separately)
  - HPL (worksurface and backsplash default)
  - Chem resistant HPL
  - Phenolic resin
- 1" thick worksurface and backsplash
- 3mm edgeband

### SHELF

- Fixed and adjustable
- 35 lb. to 100 lb. capacity depending on width
- TFL (default)
- Painted metal

### DRAWER

- Steel drawer bodies
- Full extension slides
- Keyed alike cylinder lock
- Unique lock per drawer
- 50 lb. capacity - box drawer
- 150lb. capacity - file drawer

### DOOR

- Soft close 120° European hinge
- Keyed alike cylinder lock
- Lock plate on double door unit

### PULL

- Arch pull - 128mm (default)
- Metro pull - 128mm
- Urban pull - 128mm

### MOBILITY

- 4" leveler (default)
- Leveler/caster assembly
- Height adjustment features concealed

### CASE

- Camlock design
- .75" thick laminate panels except for 1" thick bottom
- All visible panels finished
- 1mm edgeband
- Metal stretcher in top back
- Metal reveal in top front
- Through bolt connector to join adjacent cases (default)
- Quick connect assembly

### SHIPPING

- Ships assembled
- Matching width worksurface, pull, shelf, leveler, and caster attached (as applicable)

# Base Drawer

Illusions 2.0



## DIMENSIONS

|                                  | BASE CASE<br>(WITHOUT WORKSURFACE<br>ON 29"H AND 37"H) | BASE CASE<br>(WITH WORKSURFACE) |
|----------------------------------|--|---------------------------------|
| <b>Outer width</b>               | Nominal*   | Nominal*                        |
| <b>Outer depth</b>               | Nominal  | Nominal                         |
| <b>Outer height</b>              | Nominal less 1"  | Nominal                         |
| <b>Inner width</b>               | Nominal less 1.58"                                     |                                 |
| <b>Inner depth without doors</b> | Nominal less .95"                                      |                                 |
| <b>Inner depth with doors</b>    | Nominal less 1.82"                                     |                                 |
| <b>Inner height</b>              | Nominal less 6.53"                                     |                                 |

### NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

\* Nominal: matches dimensions shown on pricing chart

## WORKSURFACE

- No worksurface (default)
- Matching width worksurface with or without backsplash
  - HPL (worksurface and backsplash default)
- Spanning width worksurface, spanning width backsplash (order both separately)
  - HPL (worksurface and backsplash default)
  - Chem resistant HPL
  - Phenolic resin
- 1" thick worksurface and backsplash
- 3mm edgeband

## SHELF

- Fixed and adjustable
- 35 lb. to 100 lb. capacity depending on width
- TFL (default)
- Painted metal

## DRAWER

- Steel drawer bodies
- Full extension slides
- Keyed alike cylinder lock
- Unique lock per drawer
- 50 lb. capacity - box drawer
- 150 lb. capacity - file drawer

## DOOR

- Soft close 120° European hinge
- Keyed alike cylinder lock
- Lock plate on double door unit

## PULL

- Arch pull - 128mm (default)
- Metro pull - 128mm
- Urban pull - 128mm

## MOBILITY

- 4" leveler (default)
- Leveler/caster assembly
- Height adjustment features concealed

## CASE

- Camlock design
- .75" thick laminate panels except for 1" thick bottom
- All visible panels finished
- 1mm edgeband
- Metal stretcher in top back
- Metal reveal in top front
- Through bolt connector to join adjacent cases (default)
- Quick connect assembly

## SHIPPING

- Ships assembled
- Matching width worksurface, pull, shelf, leveler, and caster attached (as applicable)

# Base Divided Drawer-Shelf

Illusions 2.0



## DIMENSIONS

|                                  | BASE CASE<br>(WITHOUT WORKSURFACE<br>ON 29"H AND 37"H) | BASE CASE<br>(WITH WORKSURFACE) |
|----------------------------------|--|---------------------------------|
| <b>Outer width</b>               | Nominal*   | Nominal*                        |
| <b>Outer depth</b>               | Nominal  | Nominal                         |
| <b>Outer height</b>              | Nominal less 1"  | Nominal                         |
| <b>Inner width</b>               | Nominal less 1.58"                                     |                                 |
| <b>Inner depth without doors</b> | Nominal less .95"                                      |                                 |
| <b>Inner depth with doors</b>    | Nominal less 1.82"                                     |                                 |
| <b>Inner height</b>              | Nominal less 6.53"                                     |                                 |

NOTE:  
Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

\* Nominal: matches dimensions shown on pricing chart

## WORKSURFACE

- No worksurface (default)
- Matching width worksurface with or without backsplash
  - HPL (worksurface and backsplash default)
- Spanning width worksurface, spanning width backsplash (order both separately)
  - HPL (worksurface and backsplash default)
  - Chem resistant HPL
  - Phenolic resin
- 1" thick worksurface and backsplash
- 3mm edgeband

## SHELF

- Adjustable
- 35 lb. capacity
- TFL (default)
- Painted metal

## DRAWER

- Steel drawer bodies
- Full extension slides
- Keyed alike cylinder lock
- Unique lock per drawer
- 50 lb. capacity - box drawer
- 150 lb. capacity - file drawer

## DOOR

- Soft close 120° European hinge
- Keyed alike cylinder lock

## PULL

- Arch pull - 128mm (default)
- Metro pull - 128mm
- Urban pull - 128mm

## MOBILITY

- 4" leveler (default)
- Leveler/caster assembly
- Height adjustment features concealed

## CASE

- Camlock design
- .75" thick laminate panels except for 1" thick bottom
- All visible panels finished
- 1mm edgeband
- Metal stretcher in top back
- Metal reveal in top front
- Through bolt connector to join adjacent cases (default)
- Quick connect assembly

## SHIPPING

- Ships assembled
- Matching width worksurface, pull, shelf, leveler, and caster attached (as applicable)

# Base Tray

Illusions 2.0



## DIMENSIONS

|                                  | BASE CASE<br>(WITHOUT WORKSURFACE<br>ON 29"H AND 37"H) | BASE CASE<br>(WITH WORKSURFACE) |
|----------------------------------|--|---------------------------------|
| <b>Outer width</b>               | Nominal*   | Nominal*                        |
| <b>Outer depth</b>               | Nominal  | Nominal                         |
| <b>Outer height</b>              | Nominal less 1"  | Nominal                         |
| <b>Inner width</b>               | Nominal less 1.58"                                     |                                 |
| <b>Inner depth without doors</b> | Nominal less .95"                                      |                                 |
| <b>Inner depth with doors</b>    | Nominal less 1.82"                                     |                                 |
| <b>Inner height</b>              | Nominal less 6.53"                                     |                                 |

### NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

\* Nominal: matches dimensions shown on pricing chart

## WORKSURFACE

- No worksurface (default)
- Matching width worksurface with or without backsplash
  - HPL (worksurface and backsplash default)
- Spanning width worksurface, spanning width backsplash (order both separately)
  - HPL (worksurface and backsplash default)
  - Chem resistant HPL
  - Phenolic resin
- 1" thick worksurface and backsplash
- 3mm edgeband

## TRAY RAIL AND TRAY

- Gratnells brand
- Translucent
- 3" high tray (default); other sizes available
- Tray rails installed in set increments

## DOOR

- Soft close 120° European hinge
- Keyed alike cylinder lock
- Lock plate on double door unit

## PULL

- Arch pull - 128mm (default)
- Metro pull - 128mm
- Urban pull - 128mm

## MOBILITY

- 4" leveler (default)
- Leveler/caster assembly
- Height adjustment features concealed

## CASE

- Camlock design
- .75" thick laminate panels except for 1" thick bottom
- All visible panels finished
- 1mm edgeband
- Metal stretcher in top back
- Metal reveal in top front
- Through bolt connector to join adjacent cases (default)
- Quick connect assembly

## SHIPPING

- Ships assembled
- Matching width worksurface, pull, tray, leveler, and caster attached (as applicable)

# Base Display

Illusions 2.0



## DIMENSIONS

|                                  | BASE CASE<br>(WITHOUT WORKSURFACE<br>ON 29"H AND 37"H) | BASE CASE<br>(WITH WORKSURFACE) |
|----------------------------------|--|---------------------------------|
| <b>Outer width</b>               | Nominal*   | Nominal*                        |
| <b>Outer depth</b>               | Nominal  | Nominal                         |
| <b>Outer height</b>              | Nominal less 1"  | Nominal                         |
| <b>Inner width</b>               | Nominal less 1.58"                                     |                                 |
| <b>Inner depth without doors</b> | Nominal less .95"                                      |                                 |
| <b>Inner depth with doors</b>    | Nominal less 1.82"                                     |                                 |
| <b>Inner height</b>              | Nominal less 6.53"                                     |                                 |

### NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

\* Nominal: matches dimensions shown on pricing chart

## WORKSURFACE

- No worksurface (default)
- Matching width worksurface with or without backsplash
  - HPL (worksurface and backsplash default)
- Spanning width worksurface, spanning width backsplash (order both separately)
  - HPL (worksurface and backsplash default)
  - Chem resistant HPL
  - Phenolic resin
- 1" thick worksurface and backsplash
- 3mm edgeband

## SHELF

- Fixed location but removable
- 35 lb. capacity
- TFL (default)

## MOBILITY

- 4" leveler (default)
- Leveler/caster assembly
- Height adjustment features concealed

## CASE

- Camlock design
- .75" thick laminate panels except for 1" thick bottom
- All visible panels finished
- 1mm edgeband
- Metal stretcher in top back
- Metal reveal in top front
- Through bolt connector to join adjacent cases (default)
- Quick connect assembly

## SHIPPING

- Ships assembled
- Matching width worksurface, shelf, leveler, and caster attached (as applicable)

# Base Desk

Illusions 2.0



## DIMENSIONS

|                           | BASE CASE<br>(WITHOUT WORKSURFACE<br>ON 29"H AND 37"H) | BASE CASE<br>(WITH WORKSURFACE) |
|---------------------------|--|---------------------------------|
| Outer width               | Nominal*   | Nominal*                        |
| Outer depth               | Nominal  | Nominal                         |
| Outer height              | Nominal less 1"  | Nominal                         |
| Inner width               | Nominal less 1.58"                                     |                                 |
| Inner depth without doors | Nominal less .95"                                      |                                 |
| Inner depth with doors    | Nominal less 1.82"                                     |                                 |
| Inner height              | Nominal less 6.53"                                     |                                 |

NOTE:  
Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

\* Nominal: matches dimensions shown on pricing chart

## WORKSURFACE

- No worksurface (default)
- Matching width worksurface with or without backsplash
  - HPL (worksurface and backsplash default)
- Spanning width worksurface, spanning width backsplash (order both separately)
  - HPL (worksurface and backsplash default)
  - Chem resistant HPL
  - Phenolic resin
- 1" thick worksurface and backsplash
- 3mm edgeband

## MOBILITY

- 4" leveler

## CASE

- Camlock design
- .75" thick laminate panels
- All visible panels finished
- 1mm edgeband
- Metal stretcher in top back
- Metal reveal in top front
- Through bolt connector to join adjacent cases (default)
- Quick connect assembly
- ADA height available
- Consider spanning worksurface or worksurface bridge if opening is between two cases

## SHIPPING

- Ships assembled
- Matching width worksurface, pull and leveler attached (as applicable)

# Base Sink

## Illusions 2.0



### DIMENSIONS

|                           | BASE CASE<br>(WITHOUT WORKSURFACE<br>ON 29"H AND 37"H) | BASE CASE<br>(WITH WORKSURFACE) |
|---------------------------|--|---------------------------------|
| Outer width               | Nominal*   | Nominal*                        |
| Outer depth               | Nominal  | Nominal                         |
| Outer height              | Nominal less 1"  | Nominal                         |
| Inner width               | Nominal less 1.58"                                     |                                 |
| Inner depth without doors | Nominal less .95"                                      |                                 |
| Inner depth with doors    | Nominal less 1.82"                                     |                                 |
| Inner height              | Nominal less 6.53"                                     |                                 |

#### NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

\* Nominal: matches dimensions shown on pricing chart

### WORKSURFACE

- No worksurface (default)
- Matching width worksurface with or without backsplash
  - HPL (worksurface and backsplash default)
- Spanning width worksurface, spanning width backsplash (order both separately)
  - HPL (worksurface and backsplash default)
  - Chem resistant HPL
  - Phenolic resin
- 1" thick worksurface and backsplash
- 3mm edgeband

### DOOR

- Soft close 120° European hinge
- Keyed alike cylinder lock
- Plumbing cover panel on doorless case

### PULL

- Arch pull - 128mm (default)
- Metro pull - 128mm
- Urban pull - 128mm

### MOBILITY

- 4" leveler (default)
- Height adjustment features concealed

### USABLE SINK SPACE

- Subtract 3.5" from back edge of cabinet
- Subtract 3.25" from each side of cabinet
- Subtract 3.75" from front of cabinet (4.75" if using 25" deep worksurface)

### CASE

- Camlock design
- .75" thick laminate panels except for 1" thick bottom
- All visible panels finished
- 1mm edgeband
- Metal stretcher in top back
- Metal reveal in top front
- Through bolt connector to join adjacent cases (default)
- Quick connect assembly
- Case is either a true 20" or 24" depth; no filler needed
- K-12 and ADA heights available

### SHIPPING

- Ships assembled
- Matching width worksurface, pull and leveler attached (as applicable)
- Buy sink and plumbing from a preferred source
- Field cut sink opening



# Worksurface Bridge

Illusions 2.0



## WORKSURFACE


- No worksurface (default). Rails only.
- Matching width worksurface with or without backsplash
  - HPL (worksurface and backsplash default)
- Spanning width worksurface, spanning width backsplash (order both separately)
  - HPL (worksurface and backsplash default)
  - Chem resistant HPL
- 1" thick worksurface and backsplash
- 3mm edgeband
- Metal stretcher under back edge
- Metal reveal under front edge
- Connecting hardware included

## SHIPPING

- Worksurface ships separate from hardware
- Field assembled

# Worksurface Spanning

Illusions 2.0



## **WORKSURFACE**

- HPL (default)
- Chem resistant HPL
- Phenolic resin
- 1" thick
- 3mm edgeband
- Use with or without backsplash (available separately)
- 20" deep supports footprint compression
- 24" deep supports traditional planning
- 25" deep provides 1" drip edge
- 24" and 25" deep worksurfaces require 4" side filler at end-of-run to conceal power/cable/plumbing egress
- Connecting hardware included

## **SHIPPING**

- Worksurface ships separate from hardware
- Field assembled to base storage

# Worksurface Backsplash

Illusions 2.0

## **BACKSPLASH**

- HPL (default)
- Chem resistant HPL
- Phenolic resin
- 1" thick, 4" high
- 3mm edgeband
- No mechanical attachment to spanning worksurface
- Glue to wall; caulk to worksurface in field
- Do not use under hutch
- Intended for perimeter planning application; not for space division

## **SHIPPING**

- Backsplash ships separate from hardware
- Field assembled to wall and worksurface



# Wall Hung Shelf

## Illusions 2.0



### TOP

- 1" thick
- TFL
- 3mm edgeband

### SHELF

- Adjustable
- 35 lb. to 100 lb. capacity depending on width
- TFL (default)
- Painted metal

### DOOR

- Soft close 120° European hinge
- Keyed alike cylinder lock
- Lock plate on double door unit

### PULL

- Arch pull - 128mm (default)
- Metro pull - 128mm
- Urban pull - 128mm

### CASE

- Camlock design
- .75" thick laminate panels
- All visible panels finished
- 1mm edgeband
- Metal reveal in top front
- Through bolt connector to join adjacent cases
- Metal cleat system for wall attachment

### SHIPPING

- Ships assembled
- Pull, shelf, half of metal cleat system attached (as applicable)
- Wall-connecting portion of metal cleat shipped unattached



### DIMENSIONS

|                           | HUTCHES            |
|---------------------------|--------------------|
| Outer width               | Nominal*           |
| Outer depth               | Nominal            |
| Outer height              | Nominal            |
| Inner width               | Nominal less 1.58" |
| Inner depth without doors | Nominal less .95"  |
| Inner depth with doors    | Nominal less 1.82" |

#### NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

\* Nominal: matches dimensions shown on pricing chart

# Hutch

## Illusions 2.0



### TOP

- 1" thick
- TFL
- 3mm edgeband

### SHELF

- Fixed and adjustable
- 35 lb. to 100 lb. capacity depending on width
- TFL (default)
- Painted metal

### DOOR

- Soft close 120° European hinge
- Keyed alike cylinder lock
- Lock plate on double door unit

### PULL

- Arch pull - 128mm (default)
- Metro pull - 128mm
- Urban pull - 128mm

### CASE

- Camlock design
- .75" thick laminate panels
- All visible panels finished
- 1mm edgeband
- Metal reveal in top front
- Through bolt connector to join adjacent cases
- Metal bracket for worksurface attachment

### SHIPPING

- Ships assembled
- Pull and shelf attached (as applicable)

## DIMENSIONS

|                                  | HUTCHES            |
|----------------------------------|--------------------|
| <b>Outer width</b>               | Nominal*           |
| <b>Outer depth</b>               | Nominal            |
| <b>Outer height</b>              | Nominal            |
| <b>Inner width</b>               | Nominal less 1.58" |
| <b>Inner depth without doors</b> | Nominal less .95"  |
| <b>Inner depth with doors</b>    | Nominal less 1.82" |

### NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

\* Nominal: matches dimensions shown on pricing chart

# Monitor Hutch

Illusions 2.0



## TOP

- 1" thick
- TFL
- 3mm edgeband

## CASE

- Camlock design
- .75" thick laminate panels
- All visible panels finished
- 1mm edgeband
- Metal reveal in top front
- Through bolt connector to join adjacent cases
- Metal bracket for worksurface attachment

## SHIPPING

- Ships assembled
- Buy monitor, TV, cabling and mounting hardware from a preferred source

## DIMENSIONS

|                                  | HUTCHES            |
|----------------------------------|--------------------|
| <b>Outer width</b>               | Nominal*           |
| <b>Outer depth</b>               | Nominal            |
| <b>Outer height</b>              | Nominal            |
| <b>Inner width</b>               | Nominal less 1.58" |
| <b>Inner depth without doors</b> | Nominal less .95"  |
| <b>Inner depth with doors</b>    | Nominal less 1.82" |

### NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

\* Nominal: matches dimensions shown on pricing chart

# Hutch Learning Wall

## Illusions 2.0



Center hutch learning wall shown

### TOP

- 1" thick
- TFL
- 3mm edgeband

### SHELF

- Fixed and adjustable
- 35 lb. to 100 lb. capacity depending on width
- TFL (default)
- Painted metal

### CASE

- Camlock design
- .75" thick laminate panels
- All visible panels finished
- 1mm edgeband
- Metal reveal in top front
- Center configuration shown (14" deep left and right end panels); right and left configurations available (one 14" deep and one 20" deep end panel)
- Through bolt connector to join adjacent cases
- Metal bracket for worksurface attachment

### SHIPPING

- Ships assembled
- Shelf attached

### DIMENSIONS

|                                  | HUTCHES            |
|----------------------------------|--------------------|
| <b>Outer width</b>               | Nominal*           |
| <b>Outer depth</b>               | Nominal            |
| <b>Outer height</b>              | Nominal            |
| <b>Inner width</b>               | Nominal less 1.58" |
| <b>Inner depth without doors</b> | Nominal less .95"  |
| <b>Inner depth with doors</b>    | Nominal less 1.82" |

#### NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

\* Nominal: matches dimensions shown on pricing chart

# Monitor Hutch Learning Wall

## Illusions 2.0



### TOP

- 1" thick
- TFL
- 3mm edgeband

### CASE

- Camlock design
- .75" thick laminate panels
- All visible panels finished
- 1mm edgeband
- Metal reveal in top front
- Right configuration shown (14" deep left end panel, 20" deep right end panel); other configurations available (left has one 14" deep and one 20" deep end panel; center has two 14" deep end panels)
- Through bolt connector to join adjacent cases
- Metal bracket for worksurface attachment

### SHIPPING

- Ships assembled
- Buy monitor, TV, cabling and mounting hardware from a preferred source

### DIMENSIONS

| HUTCHES                   |                    |
|---------------------------|--------------------|
| Outer width               | Nominal*           |
| Outer depth               | Nominal            |
| Outer height              | Nominal            |
| Inner width               | Nominal less 1.58" |
| Inner depth without doors | Nominal less .95"  |
| Inner depth with doors    | Nominal less 1.82" |

NOTE:  
Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

\* Nominal: matches dimensions shown on pricing chart



# Sliding Board Learning Wall

Illusions 2.0



## FRAME

- Anodized aluminum
- 3 track rail system
- Cork tack rail on top of unit
- Connects to learning wall hutch and base storage (available separately)
- Flag holder
- Map hook

## SLIDING BOARDS

- White porcelain steel markerboards

## SHIPPING

- Shipped unassembled on skids with connecting hardware
- Field assembled

## SLIDING BOARD OPTION



A



B



C

A = (2) 36" WIDE BOARDS

B = (2) 42" WIDE BOARDS

C = (2) 48" WIDE BOARDS



K

K = (1) 72" WIDE BOARD

(2) 36" WIDE BOARDS



D



E



F

D = (3) 36" WIDE BOARDS

E = (3) 42" WIDE BOARDS

F = (3) 48" WIDE BOARDS



L

L = (1) 84" WIDE BOARD

(2) 42" WIDE BOARDS



G



H

G = (4) 36" WIDE BOARDS

H = (4) 42" WIDE BOARDS

J = (4) 48" WIDE BOARDS



J



M

M = (1) 96" WIDE BOARD

(2) 48" WIDE BOARDS

# Tall Shelf

## Illusions 2.0



### TOP

- 1" thick
- TFL
- 3mm edgeband

### SHELF

- Fixed and adjustable
- 35 lb. to 100 lb. capacity depending on width
- TFL (default)
- Painted metal

### DOOR

- Soft close 120° European hinge
- Keyed alike cylinder lock
- Lock plate on double door unit

### PULL

- Arch pull - 128mm (default)
- Metro pull - 128mm
- Urban pull - 128mm

### MOBILITY

- 4" leveler (default)
- Leveler/caster assembly assembly (68"H only)
- Concealed height adjustment features

### CASE

- Camlock design
- .75" thick laminate panels except for 1" thick bottom
- All visible panels finished
- 1mm edgeband
- Metal reveal in top front
- Through bolt connector to join adjacent cases

### SHIPPING

- Ships assembled
- Pull, shelf, leveler and caster attached (as applicable)

### DIMENSIONS

|                                  | TALL STORAGE AND BOOKCASES |
|----------------------------------|----------------------------|
| <b>Outer width</b>               | Nominal*                   |
| <b>Outer depth</b>               | Nominal                    |
| <b>Outer height</b>              | Nominal                    |
| <b>Inner width</b>               | Nominal less 1.58"         |
| <b>Inner depth without doors</b> | Nominal less .95"          |
| <b>Inner depth with doors</b>    | Nominal less 1.82"         |
| <b>Inner height</b>              | Nominal less 6.53"         |

#### NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

\* Nominal: matches dimensions shown on pricing chart

# Tall Cubby

## Illusions 2.0



### TOP

- 1" thick
- TFL
- 3mm edgeband

### SHELF

- 35 lb. capacity
- TFL (default)
- Adjustable

### MOBILITY

- 4" leveler (default)
- Leveler/caster assembly (68"H only)
- Concealed height adjustment features

### CASE

- Camlock design
- .75" thick laminate panels except for 1" thick bottom
- All visible panels finished
- 1mm edgeband
- Metal reveal in top front
- Through bolt connector to join adjacent cases

### SHIPPING

- Ships assembled
- Leveler and caster attached (as applicable)

## DIMENSIONS

|                                  | TALL STORAGE AND BOOKCASES |
|----------------------------------|----------------------------|
| <b>Outer width</b>               | Nominal*                   |
| <b>Outer depth</b>               | Nominal                    |
| <b>Outer height</b>              | Nominal                    |
| <b>Inner width</b>               | Nominal less 1.58"         |
| <b>Inner depth without doors</b> | Nominal less .95"          |
| <b>Inner depth with doors</b>    | Nominal less 1.82"         |
| <b>Inner height</b>              | Nominal less 6.53"         |

### NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

\* Nominal: matches dimensions shown on pricing chart

# Tall Shelf Drawer

## Illusions 2.0



### TOP

- 1" thick
- TFL
- 3mm edgeband

### SHELF

- Fixed and adjustable
- 100 lb. capacity
- TFL (default)
- Painted metal

### DOOR

- Soft close 120° European hinge
- Keyed alike cylinder lock
- Lock plate on double door unit

### DRAWER

- Steel drawer bodies
- Full extension slides
- Keyed alike cylinder lock
- Unique lock per drawer
- 50 lb. capacity - box drawer
- 150 lb. capacity - file drawer

### PULL

- Arch pull - 128mm (default)
- Metro pull - 128mm
- Urban pull - 128mm

### MOBILITY

- 4" leveler (default)
- Leveler/caster assembly (68" H only)
- Concealed height adjustment features

### CASE

- Camlock design
- .75" thick laminate panels except for 1" thick bottom
- All visible panels finished
- 1mm edgeband
- Metal reveal in top front
- Through bolt connector to join adjacent cases

### SHIPPING

- Ships assembled
- Pull, shelf, leveler and caster attached (as applicable)

### DIMENSIONS

|                           | TALL STORAGE AND BOOKCASES |
|---------------------------|----------------------------|
| Outer width               | Nominal*                   |
| Outer depth               | Nominal                    |
| Outer height              | Nominal                    |
| Inner width               | Nominal less 1.58"         |
| Inner depth without doors | Nominal less .95"          |
| Inner depth with doors    | Nominal less 1.82"         |
| Inner height              | Nominal less 6.53"         |

#### NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

\* Nominal: matches dimensions shown on pricing chart

# Tall Tray

Illusions 2.0



## DIMENSIONS

|                                  | TALL STORAGE AND BOOKCASES |
|----------------------------------|----------------------------|
| <b>Outer width</b>               | Nominal*                   |
| <b>Outer depth</b>               | Nominal                    |
| <b>Outer height</b>              | Nominal                    |
| <b>Inner width</b>               | Nominal less 1.58"         |
| <b>Inner depth without doors</b> | Nominal less .95"          |
| <b>Inner depth with doors</b>    | Nominal less 1.82"         |
| <b>Inner height</b>              | Nominal less 6.53"         |

### NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

\* Nominal: matches dimensions shown on pricing chart

### TOP

- 1" thick
- TFL
- 3mm edgeband

### SHELF

- Fixed and adjustable
- 100 lb. capacity
- TFL (default)
- Painted metal

### TRAY RAIL AND TRAY

- Gratnells brand
- Translucent
- 3" high tray (default); other sizes available
- Tray rails installed in set increments

### DOOR

- Soft close 120° European hinge
- Keyed alike cylinder lock
- Lock plate on double door unit

### PULL

- Arch pull - 128mm (default)
- Metro pull - 128mm
- Urban pull - 128mm

### MOBILITY

- 4" leveler (default)
- Leveler/caster assembly (68"H only)
- Concealed height adjustment features

### CASE

- Camlock design
- .75" thick laminate panels except for 1" thick bottom
- All visible panels finished
- 1mm edgeband
- Metal reveal in top front
- Through bolt connector to join adjacent cases

### SHIPPING

- Ships assembled
- Shelf, leveler and caster attached (as applicable)

# Tall Wardrobe

Illusions 2.0



## TOP

- 1" thick
- TFL
- 3mm edgeband

## SHELF

- Fixed and adjustable
- 75 lb. capacity
- TFL (default)
- Painted metal

## COAT ROD

- Metal, chrome plated

## DOOR

- Soft close 120° European hinge
- Keyed alike cylinder lock
- Lock plate on double door unit with adjustable shelves

## PULL

- Arch pull - 128mm (default)
- Metro pull - 128mm
- Urban pull - 128mm

## MOBILITY

- 4" leveler (default)
- Leveler/caster assembly (68" H only)
- Concealed height adjustment features

## CASE

- Camlock design
- .75" thick laminate panels except for 1" thick bottom
- All visible panels finished
- 1mm edgeband
- Metal reveal in top front
- Through bolt connector to join adjacent cases

## SHIPPING

- Ships assembled
- Pull, shelf, leveler and caster attached (as applicable)

## DIMENSIONS

|                                  | TALL STORAGE AND BOOKCASES |
|----------------------------------|----------------------------|
| <b>Outer width</b>               | Nominal*                   |
| <b>Outer depth</b>               | Nominal                    |
| <b>Outer height</b>              | Nominal                    |
| <b>Inner width</b>               | Nominal less 1.58"         |
| <b>Inner depth without doors</b> | Nominal less .95"          |
| <b>Inner depth with doors</b>    | Nominal less 1.82"         |
| <b>Inner height</b>              | Nominal less 6.53"         |

### NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

\* Nominal: matches dimensions shown on pricing chart

# Tall Locker

Illusions 2.0



## TOP

- 1" thick
- TFL
- 3mm edgeband

## SHELF

- Fixed
- 35 lb. capacity
- TFL (default)
- Painted metal

## MOBILITY

- 4" leveler (default)
- Leveler/caster assembly (68" H only)
- Concealed height adjustment features

## CASE

- Camlock design
- .75" thick laminate panels except for 1" thick bottom
- All visible panels finished
- 1mm edgeband
- Metal reveal in top front
- Through bolt connector to join adjacent cases
- 2 coat hooks on sides of each tall compartment

## SHIPPING

- Ships assembled
- Leveler and caster attached (as applicable)

## DIMENSIONS

|                           | TALL STORAGE AND BOOKCASES |
|---------------------------|----------------------------|
| Outer width               | Nominal*                   |
| Outer depth               | Nominal                    |
| Outer height              | Nominal                    |
| Inner width               | Nominal less 1.58"         |
| Inner depth without doors | Nominal less .95"          |
| Inner depth with doors    | Nominal less 1.82"         |
| Inner height              | Nominal less 6.53"         |

### NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

\* Nominal: matches dimensions shown on pricing chart

# Bookcase

## (Base and Tall)

### Illusions 2.0



#### DIMENSIONS

|                           | TALL STORAGE AND BOOKCASES |
|---------------------------|----------------------------|
| Outer width               | Nominal*                   |
| Outer depth               | Nominal                    |
| Outer height              | Nominal                    |
| Inner width               | Nominal less 1.58"         |
| Inner depth without doors | Nominal less .95"          |
| Inner depth with doors    | Nominal less 1.82"         |
| Inner height              | Nominal less 6.53"         |

NOTE:  
Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

\* Nominal: matches dimensions shown on pricing chart

#### WORKSURFACE

(for 24", 29" and 37" high bookcase)

- 1" thick
- HPL
- 3mm edgeband

#### TOP

(for 44", 68", 76" and 84" high bookcase)

- 1" thick
- TFL
- 3mm edgeband

#### SHELF

- Fixed and adjustable
- 50 lb. to 100 lb. capacity depending on width
- TFL (default)
- Painted metal

#### MOBILITY

- 4" leveler (default)
- 44" high and above must attach to wall

#### CASE

- Camlock design
- .75" thick laminate panels except for 1" thick bottom
- All visible panels finished
- 1mm edgeband
- Metal reveal in top front
- Through bolt connector to join adjacent cases
- 24", 29" and 37" high bookcases accept hutch and monitor hutch when attached to wall
- Single-sided and double-sided bookcases offered; end cap bookcase available for double-sided application

#### SHIPPING

- Ships assembled
- Matching width worksurface, shelf and leveler attached (as applicable)



# Corner Filler

## Base and Wall Hung

### Illusions 2.0



#### WORKSURFACE (BASE CORNER ONLY)

- Matching width worksurface with or without backsplash
  - HPL (worksurface and backsplash default)
- 1" thick worksurface and backsplash
- 3mm edgeband

#### TOP (WALL HUNG ONLY)

- 1" thick
- TFL
- 3mm edgeband

#### MOBILITY (BASE CORNER ONLY)

- 4" leveler

#### CASE

- Camlock design
- .75" thick laminate panels
- All visible panels finished
- 1mm edgeband
- Through bolt connector to join adjacent cases (default)
- Quick connect assembly
- Metal Z-clip for wall attachment (Wall Hung only)

#### SHIPPING

- Ships assembled
- Matching width worksurface and leveler attached (Base Corner only)

#### DIMENSIONS

|                                  | WALL-HUNG STORAGE  |
|----------------------------------|--------------------|
| <b>Outer width</b>               | Nominal*           |
| <b>Outer depth</b>               | Nominal            |
| <b>Outer height</b>              | Nominal            |
| <b>Inner width</b>               | Nominal less 1.58" |
| <b>Inner depth without doors</b> | Nominal less .95"  |
| <b>Inner depth with doors</b>    | Nominal less 1.82" |
| <b>Inner height</b>              | Nominal less 1.58" |

|                                  | "BASE CASE<br>(WITHOUT WORKSURFACE<br>ON 29"H AND 37"H)" | "BASE CASE<br>(WITH WORKSURFACE)" |
|----------------------------------|--|-----------------------------------|
| <b>Outer width</b>               | Nominal*   | Nominal*                          |
| <b>Outer depth</b>               | Nominal  | Nominal                           |
| <b>Outer height</b>              | Nominal less 1"  | Nominal                           |
| <b>Inner width</b>               | Nominal less 1.58"                                       |                                   |
| <b>Inner depth without doors</b> | Nominal less .95"  |                                   |
| <b>Inner depth with doors</b>    | Nominal less 1.82"                                       |                                   |
| <b>Inner height</b>              | Nominal less 6.53"                                       |                                   |

#### NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.


\* Nominal: matches dimensions shown on pricing chart

# Filler - Side, Tall, Front

Illusions 2.0



**BASE STORAGE  
SIDE FILLER**



**TALL STORAGE  
SIDE FILLER**



**BASE STORAGE  
SIDE FILLER**



**BASE STORAGE  
FRONT FILLER  
(Shown in  
application)**

## **BASE STORAGE FILLER**

- TFL
- 1mm edgeband
- Connecting hardware
- Use for end-of-run application with 24" or 25" deep worksurfaces

## **TALL STORAGE FILLER**

- TFL
- 1mm edgeband
- H-shaped structure used with 24" deep tall storage; select 24" deep option on tall storage for 24" deep top
- Connecting hardware
- Use when tall storage application results in gap between cabinet and wall
  - Next to base storage with 24" or 25" deep worksurface
  - End-of-run
- If hutch butts up against side of tall tower, hutch fills gap instead of filler

## **BASE FRONT FILLER**

- TFL
- 1mm edgeband
- Connecting hardware
- Use when wall-to-wall fit-up is desired when facing application
- Field cut to desired size
- Select spanning top to fill gap created by front filler
- Spanning top field cut if gap is not on 3" module
- Custom worksurface sizes also available for use with front filler

## **SHIPPING (ALL FILLERS)**

- Ship ready to assemble