

Shelf

Sheerline



CASE

- 3/4" thick TFL top, side panels, back panel and doors
- Keyed-alike cylinder locks
- 96mm Arch pull or 128mm Urban pull
- 5 knuckle hinges
- Steel bottom panel

SHELF

- Steel shelves
- 100 lb. shelf capacity

FRAME

- Fully welded steel perimeter frame

MOBILITY

- 5" post casters - 2 locking and 2 non-locking

SHIPPING

- Units ship assembled with casters attached
- Pulls attached to door or drawer fronts (if applicable)

	Outside	Inside
Width	48"	45.5"
Depth Single Sided	22"	19.75"
Depth Double Sided	22"	9"
Height	34.25"	25.25"
	60"	51.25"
	72"	63.25"

Tray

Sheerline



CASE

- 3/4" thick TFL top, side panels, back panel and drawers
- Steel bottom panel

FRAME

- Fully welded steel perimeter frame

TRAYS

- Gratnells trays & rails - translucent

MOBILITY

- 5" post casters - 2 locking and 2 non-locking

SHIPPING

- Units ship assembled with casters attached

GRATNELLS TRAY DIMENSIONS & WEIGHT CAPACITIES

	Outside	Inside		
		3" High	6" High	12" High
Width	12-1/2"	11-3/8"	11-3/8"	11-3/8"
Depth	16-7/8"	15"	15"	15"
Height	3"	2-7/8"	-	-
	6"	-	5-7/8"	-
	12"	-	-	11-7/8"
Weight capacity per tray (pounds)		12	12	12

Drawer

Sheerline



CASE

- 3/4" thick TFL top, side panels, back panel and drawers
- Steel drawer body
- 96mm Arch pull or 128mm Urban pull
- Full extension drawer slides
- Steel bottom panel

FRAME

- Fully welded steel perimeter frame

MOBILITY

- 5" post casters - 2 locking and 2 non-locking


SHIPPING

- Units ship assembled with casters attached
- Pulls attached drawer fronts

	Cabinet	Drawer Body Size
Width	48"	44.25"
Depth	28"	24"
Height	36.75"	3"

Wardrobe

Sheerline



CASE

- 3/4" thick TFL side panels, back panel, top, and doors

A Steel fixed shelves

B Adjustable shelves

C Steel bottom

- 100 lb. shelf capacity

FRAME

- Fully welded steel frame

MOBILITY

- 5" post casters - 2 locking and 2 non-locking

ADDITIONAL FEATURES

- Garment rod - holds up to 10 garments

SHIPPING

- Units ship assembled with casters attached
- Pulls attached



	Outside	Inside	
		Coat	Coat
Width	48"	14"	30.02"
Depth	22"	19.75"	17.5"
Height	72"	63.25"	63.25"

Project Cart

Sheerline



WORKSURFACE

- 1" thick worksurface
- HPL G3 (default)
- HPL G5
- Chem Resistant HPL
- Phenolic Resin
- Maple Block. Adds .75" to height
- Steel bottom panel

CASE

- 3/4" thick TFL side panels, back panel, partition, fixed shelf, drawer fronts, and doors
- Keyed-alike cylinder lock
- 96mm Arch pull or 128mm Urban pull
- 5 knuckle hinges

SHELF

- A** Fixed TFL shelf
- B** Steel adjustable shelves

FRAME

- Fully welded steel frame steel perimeter frame

MOBILITY


- 5" post casters - 2 locking and 2 non-locking

ADDITIONAL FEATURES

- C** Gratnells trays & rails
- D** 6" Gratnells trays (2 included)
- E** Burele power unit

SHIPPING

- Units ship assembled with casters attached
- Pulls attached to door fronts



Demonstrator Workstation (Science)

Sheerline



WORKSURFACE

- 1" thick work surface
- HPL G3 (default)
- HPL G5
- Chem Resistant HPL
- Phenolic Resin
- Maple Block. Adds .75" to height.

CASE

- 3/4" thick side panels, back panel, partitions, drawer fronts, and doors
- Individual cylinder locks on doors and drawers
- One steel adjustable shelf
- Steel bottom
- Steel drawer body
- 96mm Arch pull or 128mm Urban pull
- 5 knuckle hinges
- Full extension drawer slides

SHELF

- Steel fixed shelves
- 100 lb. capacity

FRAME

- Fully welded steel frame
- Steel bottom panel

MOBILITY

- 5" post casters - 2 locking and 2 non-locking

ADDITIONAL FEATURES

- A** Positionable mirror

SHIPPING

- Units ship assembled with casters attached
- Mirror assembly ships separately. Field installed.
- Pulls attached to door or drawer fronts

	Outside		Inside	
	Cabinet Outside	Work Surface	Storage	Drawer
Width	48"	60"	31"	12"
Depth	23"	24"	22"	16.25"
Height	37"	1"	28"	9.5"
	37.75"	1.75"	28"	9.5"

Workstation

Sheerline



WORKSURFACE

- 1" thick worksurface
- HPL G3 (default)
- HPL G5
- Chem Resistant HPL
- Phenolic Resin
- Maple Block. Adds .75" to height.

CASE

- 3/4" thick side panels, back panel, and doors
- Keyed-alike cylinder lock
- 96mm Arch pull or 128mm Urban pull
- 5 knuckle hinges
- Cabinet outside: 48" W, 33.25" H 22" D
- Cabinet inside: 46" W, 28" H 20" D

SHELF

- Adjustable steel shelf
- 100 lb. capacity

FRAME

- Fully welded steel frame
- Steel bottom panel

MOBILITY

- 5" post casters - 2 locking and 2 non-locking

SHIPPING

- Units ship assembled with casters attached
- Pulls attached to door fronts

