

Base Shelf

Illusions 2.0



DIMENSIONS

	BASE CASE (WITHOUT WORKSURFACE ON 29"H AND 37"H)	BASE CASE (WITH WORKSURFACE)
Outer width	Nominal*	Nominal*
Outer depth	Nominal	Nominal
Outer height	Nominal less 1"	Nominal
Inner width	Nominal less 1.58"	
Inner depth without doors	Nominal less .95"	
Inner depth with doors	Nominal less 1.82"	
Inner height	Nominal less 6.53"	

NOTE:
Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

* Nominal: matches dimensions shown on pricing chart

WORKSURFACE

- No worksurface (default)
- Matching width worksurface with or without backsplash
 - HPL (worksurface and backsplash default)
- TFL (backsplash default)
- Spanning width worksurface, spanning width backsplash (order both separately)
 - HPL (worksurface and backsplash default)
 - Chem resistant HPL
 - Phenolic resin
- 1" thick worksurface and backsplash
- 3mm edgeband

SHELF

- Fixed and adjustable
- 35 lb. to 100 lb. capacity depending on width
- TFL (default)
- Painted metal

DOOR

- Soft close 120° European hinge
- Keyed alike cylinder lock
- Lock plate on double door unit

PULL

- Arch pull - 128mm (default)
- Metro pull - 128mm
- Urban pull - 128mm

MOBILITY

- 4" leveler (default)
- Leveler/caster assembly
- Height adjustment features concealed

CASE

- Camlock design
- .75" thick laminate panels except for 1" thick bottom
- All visible panels finished
- 1mm edgeband
- Metal stretcher in top back
- Metal reveal in top front
- Through bolt connector to join adjacent cases (default)
- Quick connect assembly

SHIPPING

- Ships assembled
- Matching width worksurface, pull, shelf, leveler, and caster attached (as applicable)

Base Shelf Drawer

Illusions 2.0



DIMENSIONS

	BASE CASE (WITHOUT WORKSURFACE ON 29"H AND 37"H)	BASE CASE (WITH WORKSURFACE)
Outer width	Nominal*	Nominal*
Outer depth	Nominal	Nominal
Outer height	Nominal less 1"	Nominal
Inner width	Nominal less 1.58"	
Inner depth without doors	Nominal less .95"	
Inner depth with doors	Nominal less 1.82"	
Inner height	Nominal less 6.53"	

NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

* Nominal: matches dimensions shown on pricing chart

WORKSURFACE

- No worksurface (default)
- Matching width worksurface with or without backsplash
 - HPL (worksurface and backsplash default)
- Spanning width worksurface, spanning width backsplash (order both separately)
 - HPL (worksurface and backsplash default)
 - Chem resistant HPL
 - Phenolic resin
- 1" thick worksurface and backsplash
- 3mm edgeband

SHELF

- Fixed and adjustable
- 35 lb. to 100 lb. capacity depending on width
- TFL (default)
- Painted metal

DRAWER

- Steel drawer bodies
- Full extension slides
- Keyed alike cylinder lock
- Unique lock per drawer
- 50 lb. capacity - box drawer
- 150lb. capacity - file drawer

DOOR

- Soft close 120° European hinge
- Keyed alike cylinder lock
- Lock plate on double door unit

PULL

- Arch pull - 128mm (default)
- Metro pull - 128mm
- Urban pull - 128mm

MOBILITY

- 4" leveler (default)
- Leveler/caster assembly
- Height adjustment features concealed

CASE

- Camlock design
- .75" thick laminate panels except for 1" thick bottom
- All visible panels finished
- 1mm edgeband
- Metal stretcher in top back
- Metal reveal in top front
- Through bolt connector to join adjacent cases (default)
- Quick connect assembly

SHIPPING

- Ships assembled
- Matching width worksurface, pull, shelf, leveler, and caster attached (as applicable)

Base Drawer

Illusions 2.0



DIMENSIONS

	BASE CASE (WITHOUT WORKSURFACE ON 29"H AND 37"H)	BASE CASE (WITH WORKSURFACE)
Outer width	Nominal*	Nominal*
Outer depth	Nominal	Nominal
Outer height	Nominal less 1"	Nominal
Inner width	Nominal less 1.58"	
Inner depth without doors	Nominal less .95"	
Inner depth with doors	Nominal less 1.82"	
Inner height	Nominal less 6.53"	

NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

* Nominal: matches dimensions shown on pricing chart

WORKSURFACE

- No worksurface (default)
- Matching width worksurface with or without backsplash
 - HPL (worksurface and backsplash default)
- Spanning width worksurface, spanning width backsplash (order both separately)
 - HPL (worksurface and backsplash default)
 - Chem resistant HPL
 - Phenolic resin
- 1" thick worksurface and backsplash
- 3mm edgeband

SHELF

- Fixed and adjustable
- 35 lb. to 100 lb. capacity depending on width
- TFL (default)
- Painted metal

DRAWER

- Steel drawer bodies
- Full extension slides
- Keyed alike cylinder lock
- Unique lock per drawer
- 50 lb. capacity - box drawer
- 150 lb. capacity - file drawer

DOOR

- Soft close 120° European hinge
- Keyed alike cylinder lock
- Lock plate on double door unit

PULL

- Arch pull - 128mm (default)
- Metro pull - 128mm
- Urban pull - 128mm

MOBILITY

- 4" leveler (default)
- Leveler/caster assembly
- Height adjustment features concealed

CASE

- Camlock design
- .75" thick laminate panels except for 1" thick bottom
- All visible panels finished
- 1mm edgeband
- Metal stretcher in top back
- Metal reveal in top front
- Through bolt connector to join adjacent cases (default)
- Quick connect assembly

SHIPPING

- Ships assembled
- Matching width worksurface, pull, shelf, leveler, and caster attached (as applicable)

Base Divided Drawer-Shelf

Illusions 2.0



DIMENSIONS

	BASE CASE (WITHOUT WORKSURFACE ON 29"H AND 37"H)	BASE CASE (WITH WORKSURFACE)
Outer width	Nominal*	Nominal*
Outer depth	Nominal	Nominal
Outer height	Nominal less 1"	Nominal
Inner width	Nominal less 1.58"	
Inner depth without doors	Nominal less .95"	
Inner depth with doors	Nominal less 1.82"	
Inner height	Nominal less 6.53"	

NOTE:
Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

* Nominal: matches dimensions shown on pricing chart

WORKSURFACE

- No worksurface (default)
- Matching width worksurface with or without backsplash
 - HPL (worksurface and backsplash default)
- Spanning width worksurface, spanning width backsplash (order both separately)
 - HPL (worksurface and backsplash default)
 - Chem resistant HPL
 - Phenolic resin
- 1" thick worksurface and backsplash
- 3mm edgeband

SHELF

- Adjustable
- 35 lb. capacity
- TFL (default)
- Painted metal

DRAWER

- Steel drawer bodies
- Full extension slides
- Keyed alike cylinder lock
- Unique lock per drawer
- 50 lb. capacity - box drawer
- 150 lb. capacity - file drawer

DOOR

- Soft close 120° European hinge
- Keyed alike cylinder lock

PULL

- Arch pull - 128mm (default)
- Metro pull - 128mm
- Urban pull - 128mm

MOBILITY

- 4" leveler (default)
- Leveler/caster assembly
- Height adjustment features concealed

CASE

- Camlock design
- .75" thick laminate panels except for 1" thick bottom
- All visible panels finished
- 1mm edgeband
- Metal stretcher in top back
- Metal reveal in top front
- Through bolt connector to join adjacent cases (default)
- Quick connect assembly

SHIPPING

- Ships assembled
- Matching width worksurface, pull, shelf, leveler, and caster attached (as applicable)

Base Tray

Illusions 2.0



DIMENSIONS

	BASE CASE (WITHOUT WORKSURFACE ON 29"H AND 37"H)	BASE CASE (WITH WORKSURFACE)
Outer width	Nominal*	Nominal*
Outer depth	Nominal	Nominal
Outer height	Nominal less 1"	Nominal
Inner width	Nominal less 1.58"	
Inner depth without doors	Nominal less .95"	
Inner depth with doors	Nominal less 1.82"	
Inner height	Nominal less 6.53"	

NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

* Nominal: matches dimensions shown on pricing chart

WORKSURFACE

- No worksurface (default)
- Matching width worksurface with or without backsplash
 - HPL (worksurface and backsplash default)
- Spanning width worksurface, spanning width backsplash (order both separately)
 - HPL (worksurface and backsplash default)
 - Chem resistant HPL
 - Phenolic resin
- 1" thick worksurface and backsplash
- 3mm edgeband

TRAY RAIL AND TRAY

- Gratnells brand
- Translucent
- 3" high tray (default); other sizes available
- Tray rails installed in set increments

DOOR

- Soft close 120° European hinge
- Keyed alike cylinder lock
- Lock plate on double door unit

PULL

- Arch pull - 128mm (default)
- Metro pull - 128mm
- Urban pull - 128mm

MOBILITY

- 4" leveler (default)
- Leveler/caster assembly
- Height adjustment features concealed

CASE

- Camlock design
- .75" thick laminate panels except for 1" thick bottom
- All visible panels finished
- 1mm edgeband
- Metal stretcher in top back
- Metal reveal in top front
- Through bolt connector to join adjacent cases (default)
- Quick connect assembly

SHIPPING

- Ships assembled
- Matching width worksurface, pull, tray, leveler, and caster attached (as applicable)

Base Display

Illusions 2.0



DIMENSIONS

	BASE CASE (WITHOUT WORKSURFACE ON 29"H AND 37"H)	BASE CASE (WITH WORKSURFACE)
Outer width	Nominal*	Nominal*
Outer depth	Nominal	Nominal
Outer height	Nominal less 1"	Nominal
Inner width	Nominal less 1.58"	
Inner depth without doors	Nominal less .95"	
Inner depth with doors	Nominal less 1.82"	
Inner height	Nominal less 6.53"	

NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

* Nominal: matches dimensions shown on pricing chart

WORKSURFACE

- No worksurface (default)
- Matching width worksurface with or without backsplash
 - HPL (worksurface and backsplash default)
- Spanning width worksurface, spanning width backsplash (order both separately)
 - HPL (worksurface and backsplash default)
 - Chem resistant HPL
 - Phenolic resin
- 1" thick worksurface and backsplash
- 3mm edgeband

SHELF

- Fixed location but removable
- 35 lb. capacity
- TFL (default)

MOBILITY

- 4" leveler (default)
- Leveler/caster assembly
- Height adjustment features concealed

CASE

- Camlock design
- .75" thick laminate panels except for 1" thick bottom
- All visible panels finished
- 1mm edgeband
- Metal stretcher in top back
- Metal reveal in top front
- Through bolt connector to join adjacent cases (default)
- Quick connect assembly

SHIPPING

- Ships assembled
- Matching width worksurface, shelf, leveler, and caster attached (as applicable)

Base Desk

Illusions 2.0



DIMENSIONS

	BASE CASE (WITHOUT WORKSURFACE ON 29"H AND 37"H)	BASE CASE (WITH WORKSURFACE)
Outer width	Nominal*	Nominal*
Outer depth	Nominal	Nominal
Outer height	Nominal less 1"	Nominal
Inner width	Nominal less 1.58"	
Inner depth without doors	Nominal less .95"	
Inner depth with doors	Nominal less 1.82"	
Inner height	Nominal less 6.53"	

NOTE:
Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

* Nominal: matches dimensions shown on pricing chart

WORKSURFACE

- No worksurface (default)
- Matching width worksurface with or without backsplash
 - HPL (worksurface and backsplash default)
- Spanning width worksurface, spanning width backsplash (order both separately)
 - HPL (worksurface and backsplash default)
 - Chem resistant HPL
 - Phenolic resin
- 1" thick worksurface and backsplash
- 3mm edgeband

MOBILITY

- 4" leveler

CASE

- Camlock design
- .75" thick laminate panels
- All visible panels finished
- 1mm edgeband
- Metal stretcher in top back
- Metal reveal in top front
- Through bolt connector to join adjacent cases (default)
- Quick connect assembly
- ADA height available
- Consider spanning worksurface or worksurface bridge if opening is between two cases

SHIPPING

- Ships assembled
- Matching width worksurface, pull and leveler attached (as applicable)

Base Sink

Illusions 2.0



DIMENSIONS

	BASE CASE (WITHOUT WORKSURFACE ON 29"H AND 37"H)	BASE CASE (WITH WORKSURFACE)
Outer width	Nominal*	Nominal*
Outer depth	Nominal	Nominal
Outer height	Nominal less 1"	Nominal
Inner width	Nominal less 1.58"	
Inner depth without doors	Nominal less .95"	
Inner depth with doors	Nominal less 1.82"	
Inner height	Nominal less 6.53"	

NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

* Nominal: matches dimensions shown on pricing chart

WORKSURFACE

- No worksurface (default)
- Matching width worksurface with or without backsplash
 - HPL (worksurface and backsplash default)
- Spanning width worksurface, spanning width backsplash (order both separately)
 - HPL (worksurface and backsplash default)
 - Chem resistant HPL
 - Phenolic resin
- 1" thick worksurface and backsplash
- 3mm edgeband

DOOR

- Soft close 120° European hinge
- Keyed alike cylinder lock
- Plumbing cover panel on doorless case

PULL

- Arch pull - 128mm (default)
- Metro pull - 128mm
- Urban pull - 128mm

MOBILITY

- 4" leveler (default)
- Height adjustment features concealed

USABLE SINK SPACE

- Subtract 3.5" from back edge of cabinet
- Subtract 3.25" from each side of cabinet
- Subtract 3.75" from front of cabinet (4.75" if using 25" deep worksurface)

CASE

- Camlock design
- .75" thick laminate panels except for 1" thick bottom
- All visible panels finished
- 1mm edgeband
- Metal stretcher in top back
- Metal reveal in top front
- Through bolt connector to join adjacent cases (default)
- Quick connect assembly
- Case is either a true 20" or 24" depth; no filler needed
- K-12 and ADA heights available

SHIPPING

- Ships assembled
- Matching width worksurface, pull and leveler attached (as applicable)
- Buy sink and plumbing from a preferred source
- Field cut sink opening

Worksurface Bridge

Illusions 2.0



WORKSURFACE


- No worksurface (default). Rails only.
- Matching width worksurface with or without backsplash
 - HPL (worksurface and backsplash default)
- Spanning width worksurface, spanning width backsplash (order both separately)
 - HPL (worksurface and backsplash default)
 - Chem resistant HPL
- 1" thick worksurface and backsplash
- 3mm edgeband
- Metal stretcher under back edge
- Metal reveal under front edge
- Connecting hardware included

SHIPPING

- Worksurface ships separate from hardware
- Field assembled

Worksurface Spanning

Illusions 2.0



WORKSURFACE

- HPL (default)
- Chem resistant HPL
- Phenolic resin
- 1" thick
- 3mm edgeband
- Use with or without backsplash (available separately)
- 20" deep supports footprint compression
- 24" deep supports traditional planning
- 25" deep provides 1" drip edge
- 24" and 25" deep worksurfaces require 4" side filler at end-of-run to conceal power/cable/plumbing egress
- Connecting hardware included

SHIPPING

- Worksurface ships separate from hardware
- Field assembled to base storage

Worksurface Backsplash

Illusions 2.0

BACKSPLASH

- HPL (default)
- Chem resistant HPL
- Phenolic resin
- 1" thick, 4" high
- 3mm edgeband
- No mechanical attachment to spanning worksurface
- Glue to wall; caulk to worksurface in field
- Do not use under hutch
- Intended for perimeter planning application; not for space division

SHIPPING

- Backsplash ships separate from hardware
- Field assembled to wall and worksurface



Wall Hung Shelf

Illusions 2.0



TOP

- 1" thick
- TFL
- 3mm edgeband

SHELF

- Adjustable
- 35 lb. to 100 lb. capacity depending on width
- TFL (default)
- Painted metal

DOOR

- Soft close 120° European hinge
- Keyed alike cylinder lock
- Lock plate on double door unit

PULL

- Arch pull - 128mm (default)
- Metro pull - 128mm
- Urban pull - 128mm

CASE

- Camlock design
- .75" thick laminate panels
- All visible panels finished
- 1mm edgeband
- Metal reveal in top front
- Through bolt connector to join adjacent cases
- Metal cleat system for wall attachment

SHIPPING

- Ships assembled
- Pull, shelf, half of metal cleat system attached (as applicable)
- Wall-connecting portion of metal cleat shipped unattached



DIMENSIONS

	HUTCHES
Outer width	Nominal*
Outer depth	Nominal
Outer height	Nominal
Inner width	Nominal less 1.58"
Inner depth without doors	Nominal less .95"
Inner depth with doors	Nominal less 1.82"

NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

* Nominal: matches dimensions shown on pricing chart

Hutch

Illusions 2.0



TOP

- 1" thick
- TFL
- 3mm edgeband

SHELF

- Fixed and adjustable
- 35 lb. to 100 lb. capacity depending on width
- TFL (default)
- Painted metal

DOOR

- Soft close 120° European hinge
- Keyed alike cylinder lock
- Lock plate on double door unit

PULL

- Arch pull - 128mm (default)
- Metro pull - 128mm
- Urban pull - 128mm

CASE

- Camlock design
- .75" thick laminate panels
- All visible panels finished
- 1mm edgeband
- Metal reveal in top front
- Through bolt connector to join adjacent cases
- Metal bracket for worksurface attachment

SHIPPING

- Ships assembled
- Pull and shelf attached (as applicable)

DIMENSIONS

	HUTCHES
Outer width	Nominal*
Outer depth	Nominal
Outer height	Nominal
Inner width	Nominal less 1.58"
Inner depth without doors	Nominal less .95"
Inner depth with doors	Nominal less 1.82"

NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

* Nominal: matches dimensions shown on pricing chart

Monitor Hutch

Illusions 2.0



TOP

- 1" thick
- TFL
- 3mm edgeband

CASE

- Camlock design
- .75" thick laminate panels
- All visible panels finished
- 1mm edgeband
- Metal reveal in top front
- Through bolt connector to join adjacent cases
- Metal bracket for worksurface attachment

SHIPPING

- Ships assembled
- Buy monitor, TV, cabling and mounting hardware from a preferred source

DIMENSIONS

	HUTCHES
Outer width	Nominal*
Outer depth	Nominal
Outer height	Nominal
Inner width	Nominal less 1.58"
Inner depth without doors	Nominal less .95"
Inner depth with doors	Nominal less 1.82"

NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

* Nominal: matches dimensions shown on pricing chart

Hutch Learning Wall

Illusions 2.0



Center hutch learning wall shown

TOP

- 1" thick
- TFL
- 3mm edgeband

SHELF

- Fixed and adjustable
- 35 lb. to 100 lb. capacity depending on width
- TFL (default)
- Painted metal

CASE

- Camlock design
- .75" thick laminate panels
- All visible panels finished
- 1mm edgeband
- Metal reveal in top front
- Center configuration shown (14" deep left and right end panels); right and left configurations available (one 14" deep and one 20" deep end panel)
- Through bolt connector to join adjacent cases
- Metal bracket for worksurface attachment

SHIPPING

- Ships assembled
- Shelf attached

DIMENSIONS

	HUTCHES
Outer width	Nominal*
Outer depth	Nominal
Outer height	Nominal
Inner width	Nominal less 1.58"
Inner depth without doors	Nominal less .95"
Inner depth with doors	Nominal less 1.82"

NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

* Nominal: matches dimensions shown on pricing chart

Monitor Hutch Learning Wall

Illusions 2.0



TOP

- 1" thick
- TFL
- 3mm edgeband

CASE

- Camlock design
- .75" thick laminate panels
- All visible panels finished
- 1mm edgeband
- Metal reveal in top front
- Right configuration shown (14" deep left end panel, 20" deep right end panel); other configurations available (left has one 14" deep and one 20" deep end panel; center has two 14" deep end panels)
- Through bolt connector to join adjacent cases
- Metal bracket for worksurface attachment

SHIPPING

- Ships assembled
- Buy monitor, TV, cabling and mounting hardware from a preferred source

DIMENSIONS

HUTCHES	
Outer width	Nominal*
Outer depth	Nominal
Outer height	Nominal
Inner width	Nominal less 1.58"
Inner depth without doors	Nominal less .95"
Inner depth with doors	Nominal less 1.82"

NOTE:
Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

* Nominal: matches dimensions shown on pricing chart

Sliding Board Learning Wall

Illusions 2.0



FRAME

- Anodized aluminum
- 3 track rail system
- Cork tack rail on top of unit
- Connects to learning wall hutch and base storage (available separately)
- Flag holder
- Map hook

SLIDING BOARDS

- White porcelain steel markerboards

SHIPPING

- Shipped unassembled on skids with connecting hardware
- Field assembled

SLIDING BOARD OPTION



A



B



C

A = (2) 36" WIDE BOARDS

B = (2) 42" WIDE BOARDS

C = (2) 48" WIDE BOARDS



K

K = (1) 72" WIDE BOARD

(2) 36" WIDE BOARDS



D



E



F

D = (3) 36" WIDE BOARDS

E = (3) 42" WIDE BOARDS

F = (3) 48" WIDE BOARDS



L

L = (1) 84" WIDE BOARD

(2) 42" WIDE BOARDS



G



H

G = (4) 36" WIDE BOARDS

H = (4) 42" WIDE BOARDS

J = (4) 48" WIDE BOARDS



J



M

M = (1) 96" WIDE BOARD

(2) 48" WIDE BOARDS

Tall Shelf

Illusions 2.0



TOP

- 1" thick
- TFL
- 3mm edgeband

SHELF

- Fixed and adjustable
- 35 lb. to 100 lb. capacity depending on width
- TFL (default)
- Painted metal

DOOR

- Soft close 120° European hinge
- Keyed alike cylinder lock
- Lock plate on double door unit

PULL

- Arch pull - 128mm (default)
- Metro pull - 128mm
- Urban pull - 128mm

MOBILITY

- 4" leveler (default)
- Leveler/caster assembly assembly (68"H only)
- Concealed height adjustment features

CASE

- Camlock design
- .75" thick laminate panels except for 1" thick bottom
- All visible panels finished
- 1mm edgeband
- Metal reveal in top front
- Through bolt connector to join adjacent cases

SHIPPING

- Ships assembled
- Pull, shelf, leveler and caster attached (as applicable)

DIMENSIONS

	TALL STORAGE AND BOOKCASES
Outer width	Nominal*
Outer depth	Nominal
Outer height	Nominal
Inner width	Nominal less 1.58"
Inner depth without doors	Nominal less .95"
Inner depth with doors	Nominal less 1.82"
Inner height	Nominal less 6.53"

NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

* Nominal: matches dimensions shown on pricing chart

Tall Cubby

Illusions 2.0



TOP

- 1" thick
- TFL
- 3mm edgeband

SHELF

- 35 lb. capacity
- TFL (default)
- Adjustable

MOBILITY

- 4" leveler (default)
- Leveler/caster assembly (68"H only)
- Concealed height adjustment features

CASE

- Camlock design
- .75" thick laminate panels except for 1" thick bottom
- All visible panels finished
- 1mm edgeband
- Metal reveal in top front
- Through bolt connector to join adjacent cases

SHIPPING

- Ships assembled
- Leveler and caster attached (as applicable)

DIMENSIONS

	TALL STORAGE AND BOOKCASES
Outer width	Nominal*
Outer depth	Nominal
Outer height	Nominal
Inner width	Nominal less 1.58"
Inner depth without doors	Nominal less .95"
Inner depth with doors	Nominal less 1.82"
Inner height	Nominal less 6.53"

NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

* Nominal: matches dimensions shown on pricing chart

Tall Shelf Drawer

Illusions 2.0



DIMENSIONS

	TALL STORAGE AND BOOKCASES
Outer width	Nominal*
Outer depth	Nominal
Outer height	Nominal
Inner width	Nominal less 1.58"
Inner depth without doors	Nominal less .95"
Inner depth with doors	Nominal less 1.82"
Inner height	Nominal less 6.53"

NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

* Nominal: matches dimensions shown on pricing chart

TOP

- 1" thick
- TFL
- 3mm edgeband

SHELF

- Fixed and adjustable
- 100 lb. capacity
- TFL (default)
- Painted metal

DOOR

- Soft close 120° European hinge
- Keyed alike cylinder lock
- Lock plate on double door unit

DRAWER

- Steel drawer bodies
- Full extension slides
- Keyed alike cylinder lock
- Unique lock per drawer
- 50 lb. capacity - box drawer
- 150 lb. capacity - file drawer

PULL

- Arch pull - 128mm (default)
- Metro pull - 128mm
- Urban pull - 128mm

MOBILITY

- 4" leveler (default)
- Leveler/caster assembly (68" H only)
- Concealed height adjustment features

CASE

- Camlock design
- .75" thick laminate panels except for 1" thick bottom
- All visible panels finished
- 1mm edgeband
- Metal reveal in top front
- Through bolt connector to join adjacent cases

SHIPPING

- Ships assembled
- Pull, shelf, leveler and caster attached (as applicable)

Tall Tray

Illusions 2.0



DIMENSIONS

	TALL STORAGE AND BOOKCASES
Outer width	Nominal*
Outer depth	Nominal
Outer height	Nominal
Inner width	Nominal less 1.58"
Inner depth without doors	Nominal less .95"
Inner depth with doors	Nominal less 1.82"
Inner height	Nominal less 6.53"

NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

* Nominal: matches dimensions shown on pricing chart

TOP

- 1" thick
- TFL
- 3mm edgeband

SHELF

- Fixed and adjustable
- 100 lb. capacity
- TFL (default)
- Painted metal

TRAY RAIL AND TRAY

- Gratnells brand
- Translucent
- 3" high tray (default); other sizes available
- Tray rails installed in set increments

DOOR

- Soft close 120° European hinge
- Keyed alike cylinder lock
- Lock plate on double door unit

PULL

- Arch pull - 128mm (default)
- Metro pull - 128mm
- Urban pull - 128mm

MOBILITY

- 4" leveler (default)
- Leveler/caster assembly (68"H only)
- Concealed height adjustment features

CASE

- Camlock design
- .75" thick laminate panels except for 1" thick bottom
- All visible panels finished
- 1mm edgeband
- Metal reveal in top front
- Through bolt connector to join adjacent cases

SHIPPING

- Ships assembled
- Shelf, leveler and caster attached (as applicable)

Tall Wardrobe

Illusions 2.0



TOP

- 1" thick
- TFL
- 3mm edgeband

SHELF

- Fixed and adjustable
- 75 lb. capacity
- TFL (default)
- Painted metal

COAT ROD

- Metal, chrome plated

DOOR

- Soft close 120° European hinge
- Keyed alike cylinder lock(Wardrobe-Shelf GWC1 only)
- Lock plate on double door unit with adjustable shelves

PULL

- Arch pull - 128mm (default)
- Metro pull - 128mm
- Urban pull - 128mm

MOBILITY

- 4" leveler (default)
- Leveler/caster assembly (68" H only)
- Concealed height adjustment features

CASE

- Camlock design
- .75" thick laminate panels except for 1" thick bottom
- All visible panels finished
- 1mm edgeband
- Metal reveal in top front
- Through bolt connector to join adjacent cases

SHIPPING

- Ships assembled
- Pull, shelf, leveler and caster attached (as applicable)

DIMENSIONS

	TALL STORAGE AND BOOKCASES
Outer width	Nominal*
Outer depth	Nominal
Outer height	Nominal
Inner width	Nominal less 1.58"
Inner depth without doors	Nominal less .95"
Inner depth with doors	Nominal less 1.82"
Inner height	Nominal less 6.53"

NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

* Nominal: matches dimensions shown on pricing chart

Tall Locker

Illusions 2.0



TOP

- 1" thick
- TFL
- 3mm edgeband

SHELF

- Fixed
- 35 lb. capacity
- TFL (default)
- Painted metal

MOBILITY

- 4" leveler (default)
- Leveler/caster assembly (68" H only)
- Concealed height adjustment features

CASE

- Camlock design
- .75" thick laminate panels except for 1" thick bottom
- All visible panels finished
- 1mm edgeband
- Metal reveal in top front
- Through bolt connector to join adjacent cases
- 2 coat hooks on sides of each tall compartment

SHIPPING

- Ships assembled
- Leveler and caster attached (as applicable)

DIMENSIONS

	TALL STORAGE AND BOOKCASES
Outer width	Nominal*
Outer depth	Nominal
Outer height	Nominal
Inner width	Nominal less 1.58"
Inner depth without doors	Nominal less .95"
Inner depth with doors	Nominal less 1.82"
Inner height	Nominal less 6.53"

NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

* Nominal: matches dimensions shown on pricing chart

Bookcase

(Base and Tall)

Illusions 2.0



DIMENSIONS

	TALL STORAGE AND BOOKCASES
Outer width	Nominal*
Outer depth	Nominal
Outer height	Nominal
Inner width	Nominal less 1.58"
Inner depth without doors	Nominal less .95"
Inner depth with doors	Nominal less 1.82"
Inner height	Nominal less 6.53"

NOTE:
Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.

* Nominal: matches dimensions shown on pricing chart

WORKSURFACE

(for 24", 29" and 37" high bookcase)

- 1" thick
- HPL
- 3mm edgeband

TOP

(for 44", 68", 76" and 84" high bookcase)

- 1" thick
- TFL
- 3mm edgeband

SHELF

- Fixed and adjustable
- 50 lb. to 100 lb. capacity depending on width
- TFL (default)
- Painted metal

MOBILITY

- 4" leveler (default)
- 44" high and above must attach to wall

CASE

- Camlock design
- .75" thick laminate panels except for 1" thick bottom
- All visible panels finished
- 1mm edgeband
- Metal reveal in top front
- Through bolt connector to join adjacent cases
- 24", 29" and 37" high bookcases accept hutch and monitor hutch when attached to wall
- Single-sided and double-sided bookcases offered; end cap bookcase available for double-sided application

SHIPPING

- Ships assembled
- Matching width worksurface, shelf and leveler attached (as applicable)

Corner Filler

Base and Wall Hung

Illusions 2.0



WORKSURFACE (BASE CORNER ONLY)

- Matching width worksurface with or without backsplash
 - HPL (worksurface and backsplash default)
- 1" thick worksurface and backsplash
- 3mm edgeband

TOP (WALL HUNG ONLY)

- 1" thick
- TFL
- 3mm edgeband

MOBILITY (BASE CORNER ONLY)

- 4" leveler

CASE

- Camlock design
- .75" thick laminate panels
- All visible panels finished
- 1mm edgeband
- Through bolt connector to join adjacent cases (default)
- Quick connect assembly
- Metal Z-clip for wall attachment (Wall Hung only)

SHIPPING

- Ships assembled
- Matching width worksurface and leveler attached (Base Corner only)

DIMENSIONS

	WALL-HUNG STORAGE
Outer width	Nominal*
Outer depth	Nominal
Outer height	Nominal
Inner width	Nominal less 1.58"
Inner depth without doors	Nominal less .95"
Inner depth with doors	Nominal less 1.82"
Inner height	Nominal less 1.58"

	"BASE CASE (WITHOUT WORKSURFACE ON 29"H AND 37"H)"	"BASE CASE (WITH WORKSURFACE)"
Outer width	Nominal*	Nominal*
Outer depth	Nominal	Nominal
Outer height	Nominal less 1"	Nominal
Inner width	Nominal less 1.58"	
Inner depth without doors	Nominal less .95"	
Inner depth with doors	Nominal less 1.82"	
Inner height	Nominal less 6.53"	

NOTE:

Vertical and horizontal internal shelves and dividers are 3/4" thick and reduce usable square inches.


* Nominal: matches dimensions shown on pricing chart

Filler - Side, Tall, Front

Illusions 2.0



**BASE STORAGE
SIDE FILLER**



**TALL STORAGE
SIDE FILLER**



**BASE STORAGE
SIDE FILLER**



**BASE STORAGE
FRONT FILLER
(Shown in
application)**

BASE STORAGE FILLER

- TFL
- 1mm edgeband
- Connecting hardware
- Use for end-of-run application with 24" or 25" deep worksurfaces

TALL STORAGE FILLER

- TFL
- 1mm edgeband
- H-shaped structure used with 24" deep tall storage; select 24" deep option on tall storage for 24" deep top
- Connecting hardware
- Use when tall storage application results in gap between cabinet and wall
 - Next to base storage with 24" or 25" deep worksurface
 - End-of-run
- If hutch butts up against side of tall tower, hutch fills gap instead of filler

BASE FRONT FILLER

- TFL
- 1mm edgeband
- Connecting hardware
- Use when wall-to-wall fit-up is desired when facing application
- Field cut to desired size
- Select spanning top to fill gap created by front filler
- Spanning top field cut if gap is not on 3" module
- Custom worksurface sizes also available for use with front filler

SHIPPING (ALL FILLERS)

- Ship ready to assemble